


# Isopropyl Palmitate

## Basic Information



Isopropyl Palmitate Structure

IUPAC Name	Propan-2-yl hexadecanoate
CAS Number	142-91-6
HS Code	2915.70
Molecular Formula	C <sub>19</sub> H <sub>38</sub> O <sub>2</sub>
Structural Formula	CH <sub>3</sub> (CH <sub>2</sub> ) <sub>14</sub> COO-CH(CH <sub>3</sub> ) <sub>2</sub>
Synonyms	IPP, Isopropyl hexadecanoate, 2-Propyl palmitate
Molecular Weight	298.50 g/mol

## Description

Isopropyl palmitate (IPP) is a synthetic ester formed by the esterification of palmitic acid with isopropanol. It is a light, non-greasy emollient widely used in cosmetic and personal care formulations.

IPP is valued for its excellent skin-feel properties — it imparts a dry, silky texture to skin care and color cosmetic formulations without the heaviness of natural oils. It acts as a spreading agent, emollient, and binder in various formulations. In industrial applications, IPP is used as a plasticizer, lubricant, and solvent in specialized coatings and leather-treatment products.

## Chemical and Physical Properties

Physical Description	Clear, colorless to slightly yellowish oily liquid.
Color / Form	Colorless to pale yellow.
Odor	Practically odorless.
Taste	Mild, fatty.
Boiling Point	Approx. 206–208 °C at 20 mmHg
Melting Point	13–14 °C
Flash Point	~193 °C
Solubility	Practically insoluble in water; miscible with most oils and organic solvents.
Density	Approx. 0.852 g/cm <sup>3</sup>
Vapor Density	Greater than air.
Vapor Pressure	Very low at ambient temperature.
Stability / Shelf Life	Stable under normal conditions. Resistant to hydrolysis under mildly acidic or alkaline conditions.
Viscosity	Low viscosity (approximately 7–10 mPa·s at 20 °C).
Heat of Combustion	Approx. ?12,400 kJ/mol (estimated).

Polymerization	<b>No hazardous polymerization.</b>
Ionization Potential	<b>No data available.</b>

## Uses and Manufacturing

### Uses

Isopropyl palmitate is widely used in cosmetics and personal care products as an emollient and texture modifier. Its lightweight, non-greasy feel makes it particularly popular in sunscreen formulations, where it serves as a cosmetically elegant carrier for UV filters such as benzophenone, avobenzone, and octinoxate, improving their spreadability and skin feel. It is also used in foundations, BB creams, tinted moisturizers, and skin care serums to improve spreadability and achieve a smooth, velvety skin feel.

In color cosmetics (lipsticks, eye shadows, blushes), IPP functions as a binder and emollient that improves color payoff and adhesion. In hair care products, it is used to improve combability, reduce frizz, and impart shine.

Industrial applications include its use as a plasticizer in polymer films, a lubricant in precision metalworking and clock mechanism lubrication, a solvent in wood treatment preparations and leather-care products, and as a spreading agent in agricultural adjuvants for improving leaf coverage by crop protection agents.

In pharmaceutical topical formulations, IPP is used as a penetration enhancer, improving the transdermal absorption of active pharmaceutical ingredients. It is also used as a solvent vehicle in transdermal patches and topical drug delivery systems.

### Methods of Manufacturing

Isopropyl palmitate is produced by direct esterification of palmitic acid (derived from palm oil hydrolysis and distillation) with isopropanol in the presence of an acid catalyst such as p-toluenesulfonic acid or sulfuric acid at temperatures of 100–140 °C.

Water formed during the esterification reaction is removed continuously by azeotropic distillation (with isopropanol/water azeotrope) or by molecular sieves to drive the reaction to completion (>98% conversion). Excess isopropanol is recovered by distillation and recycled.

The crude ester is purified by washing with alkali solution to remove residual acid, followed by water washing, drying, and final distillation or filtration through activated carbon or bleaching earth for color improvement. Quality parameters include acid value, color (APHA/Gardner), saponification value, moisture, and GC purity.

## Hazard Identification

### Hazard Summary

Low acute toxicity. Not classified as hazardous under standard regulations.

### Fire Hazard

Combustible liquid with a high flash point (~193 °C).

### Skin, Eye & Respiratory Irritations

Mild skin and eye irritation may occur on prolonged contact.

## Safety and First Aid

### Physical Dangers

Combustible liquid with high flash point.

### Skin First Aid

Wash with soap and water.

### **Eye First Aid**

Rinse with clean water for 15 minutes.

### **Ingestion First Aid**

Seek medical advice. Not expected to be highly toxic.

### **Fire Fighting Procedures**

Use CO<sub>2</sub>, foam, or dry chemical.

## **Handling and Storage**

### **Nonfire Spill Response**

Small spill: Absorb with inert absorbent material. Collect in labeled containers. Prevent entry into drains or waterways. Clean residual with detergent.

Large spill: Contain with bunds. Pump into recovery containers. Do not allow entry into sewers — consult environmental authorities. Ventilate area. Dispose of collected material according to local regulations.

### **Safe Storage**

Store in original, tightly closed containers in a cool, dry, well-ventilated area. Keep away from heat sources, open flames, and strong oxidizing agents. Avoid contact with strong acids and bases (can cause hydrolysis). Inspect container seals regularly. Do not store in direct sunlight.

### **Storage Conditions**

Recommended storage temperature: 15–25 °C. Shelf life: 24 months in original sealed containers. Suitable containers: HDPE, stainless steel 304/316, or glass-lined vessels. Avoid aluminum, copper, and zinc containers. Protect from light and moisture. Containers should be kept sealed when not in use.